



Vent Free Sizing Requirements

Model: G8 Series

Log Set Size	Min. Fireplace Dimensions	Depth	Height	BTU Rating
16"	17" Front & 13" Rear	9 ½"	17"	20,000 & 9,500 (R) Nat & LP
20"	21" Front & 13" Rear	9 ½"	17"	20,000 & 9,500 (R) Nat & LP
24"	26" Front & 13" Rear	9 ½"	17"	20,000 & 9,500 (R) Nat & LP

Model: G9 Series

Log Set Size	Fireplace Dimensions	Depth	Height	BTU Rating
Manual Valve				Nat & LP
20"	24" Front & 20" Rear	14"	18"	36,000 High & 17,000 Low
24"	29" Front & 20" Rear	14"	18"	36,000 High & 17,000 Low
30"	34" Front & 26" Rear	14"	18"	36,000 High & 17,000 Low
Millivolt Valve				Nat & LP
20"	26" Front & 22" Rear	14"	18"	36,000 High & 21,000 Low
24"	30" Front & 22" Rear	14"	18"	36,000 High & 21,000 Low
30"	34" Front & 26" Rear	14"	18"	36,000 High & 21,000 Low

Model: G10

Log Set Size	Fireplace Dimensions	Depth	Height	BTU Rating
16"/18"	22" Front & 20" Rear	13"	18"	35K (Nat) High & 26K (Nat) Low 32K (LP) High & 24K (LP) Low
24"	28" Front & 20" Rear	14"	18"	37K High & 19K Low (Nat & LP)
30"	34" Front & 20" Rear	14"	18"	37K High & 19K Low (Nat & LP)

Model: G18

Log Set Size	Fireplace Dimensions	Depth	Height	BTU Rating
16"/18"	22" Front & 20" Rear	13"	18"	30,000 (NAT & LP)
24"	30" Front & 20" Rear	14"	18"	38,000 (NAT & LP)
30"	26" Front & 26" Rear	14"	18"	38,000 (NAT & LP)

Model: G21-GL

Burner Size	Fireplace Dimensions	Depth	Height	BTU Rating
18"	22" Front & 16" Rear	10"	15"	30,000 (NAT) & 27,000 (LP)
24"	28" Front & 21" Rear	11"	15"	35,000 (NAT) & 30,000 (LP)
30"	34" Front & 28" Rear	11"	15"	40,000 (NAT) & 35,000 (LP)

Model: G19

Log Set Size	Fireplace Dimensions	Depth	Height	BTU Rating
18"	24" Front & 22" Rear	14"	16"	31,000 (NAT) & 30,000 (LP)
24"	30" Front & 24" Rear	14"	16"	40,000 (NAT) & 34,000 (LP)
30"	34" Front & 26" Rear	14"	16"	40,000 (NAT) & 34,000 (LP)

Vent Free See Thru

Model: G18-2

Log Set Size	Fireplace Dimensions	Depth	Height	BTU Rating
16" or 18"	22" Front Width	18"	18"	35,000 (NAT & LP)
24"	26" Front Width	18"	18"	40,000 (NAT & LP)

Model: G21-GL-2 (Millivolt)

Set Size	Fireplace Dimensions	Depth	Height	BTU Rating
18"	22" Front Width	10"	15"	37,000 (NAT) & 35,000 (LP)
24"	28" Front Width	16"	15"	40,000 (NAT & LP)

